



Soils Map



Soils data provided by USDA and NRCS.



State: **Iowa**
 County: **Grundy**
 Location: **9-89N-17W**
 Township: **Pleasant Valley**
 Acres: **164.14**
 Date: **5/23/2025**



Maps Provided By:



Area Symbol: IA075, Soil Area Version: 30

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	CSR2**	CSR	Brome grass alfalfa AUM	Brome grass alfalfa hay Tons	Corn Bu	Kentucky bluegrass AUM	Oats Bu	Smooth brome grass AUM	Soybeans Bu	*n NCCPI Overall
377B	Dinsdale silty clay loam, 2 to 5 percent slopes	50.47	30.9%		Ile	94	90								88
11B	Colo-Ely complex, 0 to 5 percent slopes	46.14	28.1%		Ilw	86									92
377C2	Dinsdale silty clay loam, 5 to 9 percent slopes, eroded	40.40	24.6%		Ille	85	73								80
394C2	Ostrander loam, 5 to 9 percent slopes, eroded	11.39	6.9%		Ille	73	69								64
184B	Klinger silty clay loam, 2 to 5 percent slopes	7.11	4.3%		Ile	95	90								88
83C2	Kenyon loam, 5 to 9 percent slopes, eroded	4.82	2.9%		Ille	84	69	10.6	6.3	212	3.7	88	6.2	61	82

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	CSR2**	CSR	Bromegrass alfalfa AUM	Bromegrass alfalfa hay Tons	Corn Bu	Kentucky bluegrass AUM	Oats Bu	Smooth bromegrass AUM	Soybeans Bu	*n NCCPI Overall
391B	Clyde-Floyd complex, 1 to 4 percent slopes	2.99	1.8%		Ilw	87	76								89
43	Bremer silty clay loam, 0 to 2 percent slopes, rarely flooded	0.63	0.4%		Ilw	79	85								79
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	0.19	0.1%		Ilw	65	80								87
Weighted Average					2.34	87.6	*-	0.3	0.2	6.2	0.1	2.6	0.2	1.8	*n 85.3

**IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method